JPL Off-Site Wells Detected With Contamination (Concentrations in ug/L)

Water Co./Well ID	CCl4	TCE	PCE	Perchlorate	Comments	
Lincoln Ave.; #3	0.8	18	1.0	12	groundwater (GW) flows E or W depending on Arroyo's water levels	
Lincoln Ave.; #5	1.0	40	1.2	7	about 2200' east of the Arroyo	
Pasadena Water; Arroyo	6.5	4.1	ND	130	in Arroyo, GW flows South, SHUTDOWN	
Pasadena Water; #52	ND	1.7	ND	9	in Arroyo	
Valley Water; #1	ND	2.7	63.8	ND	GW flows E/SE & MW2/14 clean; JPL cites contamination not their problem	
Valley Water; #2	ND	1.0	32	ND	same as above	
Valley Water; #4	ND	1.1	27.6	ND	same as above	
JPL; MW3	1.2 (S3)	0.8 (S3)	0.6 (S3)	21 (S3)	in Arroyo (S1= 200'-300' to S5=500'-600' bgs with 10'-20' screen lengths)	
JPL; MW17	1.3 (S3)	11 (S5)	0.7 (S5)	13 (S3,4,5)		
JPL; MW18	1.9 (S4)	2.4 (S3)	1.8 (S3)	11 (S4)	900' E of Arroyo	
JPL; MW21	ND	20 (S1)	3 (S4,5)	19 (S1)	GW flows E/S/W depending on Arroyo's water levels, need hydraulic control	

- Contamination data for water company wells are from 1995 except for perchlorate, which are 1997 data.

- S1,3,4,5 denotes the screen intervals that showed contamination.
- Except for JPL's monitoring wells, rest are production wells.
- Misc: water table fluctuates 50'-80; water gradient is South; no hydraulic control in Southern direction.
 JPL's perchlorate studies: Foster-Wheeler's \$45K ionizations exchange (reduce perchlorate to chloride); Jacobs's \$26K hydrogenation (chemically breakdown perchlorate to chloride and water.

JPL On-Site Groundwater Contamination at Selected Wells, 7/97 (all shallow wells)

Well ID	CCl4	TCE	PCE	Perchlorate
MW4 (S2)	4.0	5.7	ND	51
MW7	39	23	0.7	285
MW12 (S3)	20	ND	ND	5.7
MW13 .	6.4	24 .	ND	130 .
MW16	68	25	1.1	615

CTHERS

OSF-Site Perchlorate weile

